TerpLife	Certificate of Analysis	
LADS	T407561	A THE LAS AT
Mission 1620		
9506 Olive Blvd STE 568		
Olivette, MO 63132	And and a state and a state of the state of	
Hemp R&D		
Full Spectrum Balm 1500mg	Total Sample Received: 56.7g	Date Sampled: 07/31/2024
Sample ID: T407561-01 CCB ID:FSB157302024	Total Units Received: 1	Date Received: 07/31/2024

Sample ID: T407561-01 CCB ID:FSB157302024 Matrix: Derivative Non-inhalable

Potency Summary

Unit Weight: 56.7g



Cannabinoids

Date Prepared: 07/31/2024 13:24 Prep ID: 4599 Date Analyzed: 07/31/2024 20:46 Analyst ID: 5047 Lab Batch: 2431067 242106	Specimen Wt: 0.102 g Instrument: HPLC VWD Prep/Analysis Method: SOP 1357			
Analyte	Dilution	Results	mg/Piece	mg/Unit
		%	mg	mg
Cannabichromene (CBC)	1	0.0573	N/A	32.5
Cannabidiol (CBD)	1	3.55	N/A	2,013
Cannabidiolic acid (CBDA)	1	ND	N/A	ND
Cannabidivarin (CBDV)	1	ND	N/A	ND
Cannabigerol (CBG)	1	ND	N/A	ND
Cannabigerolic acid (CBGA)	1	ND	N/A	ND
Cannabinol (CBN)	1	ND	N/A	ND
d8 - Tetrahydrocannabinoid (d8-THC)	1	ND	N/A	ND
d9 - Tetrahydrocannabinoid (d9-THC)	1	0.0682	N/A	38.7
d9 - Tetrahydrocannabinolic acid (THCA)	1	ND	N/A	ND
Tetrahydrocannabivarin (THCV)	1	ND	N/A	ND
Total THC		0.0682	0.000	0.000
Total CBD		3.55	0.000	2,013
Total Cannabinoids		3.67	0.000	2,081
Total THC= THCa * 0.877 + d9-THC. Total CBD= CBDa * 0.877 + CBD.				

Total THC= THC= 0.27/ + 09-THC. Total cour = 0.07/ + 0.00. mg/Lint = Lint Weight of * Total THC/CBD mg/g LOD = Limit of Detection; ND = Not Detected. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

TerpLife Labs

10350 Fisher Ave, Tampa, Florida 33619 813-726-3103 / www.terplifelabs.com

Bustan



1 of 1

08/02/2024

Date Reported:

Brian C. Spann Laboratory Director

The data contained therein are based on sound scientific analytical procedures and judgment. Terplife Labs strives to deliver high quality results. This report shall not be reproduced without written consent from TerpLife Labs. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)